Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

a.		

62,31

IF UNDELIVERED RETURN TO

LOUISVILLE SEED CO.

INCORPORATED

Exclusively Wholesale

831 W. Main Street - LOUISVILLE, KY.

RETURN POSTAGE GUARANTEED

The state of the s

Sec. 562 P. L. & R.
U. S. POSTAGE
PAID
LOUISVILLE, KY.

PERMIT No. 60

Horticultural Grons & Diseases, U. S. Dent. of Arriculture, Washington, D. C.

PRICE LIST

Today's Most Important Mail



Subject to immediate acceptance and market change we quote f.o.b. Louisville.

DECEMBER 5th, 1935.

When buying round lots of seed get our quanity prices.

Use only the best, Gold Medal Field Seed, The Sure Growing Kind.
Thirty Five years of service.

RED CLOVER PER CWI					
PER CW1					
Gold Medal \$18.00					
Choice 17.00					
Royal 16.00	9.60				
ALGIVE					
ALSIKE	11 10				
Gold Medal 19.00	11.40				
Choice 18.00	10.80				
Royal 16.00	9.60				
Alsike & Whi. Clover 20.00	12.00				
Alsike & Timothy 9.50					
MAMMOTH or SAPLING CL					
Gold Medal	\$11.40				
Choice 18.00	10.80				
Royal 16.50	9.90				
ALFALFA					
Gold Medal Kansas					
U. S. Verified \$15.75	\$9.45				
Gold Medal Oklahoma					
U. S. Verified 14.00	8.40				
Grimm, 30# & 60# bags 19.00	11.40				
Crame, copper copper					
SWEET CLOVER					
Gold Medal Wh. Blo. \$6.00	\$3,60				
Gold Medal Yel. Blo. 6.50	3.90				
Gold Medal Tell Dio.	0.70				
WHITE CLOVER					
Gold Medal \$25.00	15.00				
Choice 23.00					
Whi. Clover & Tim. 8.75	10.00				
mir. Giover & rim. 6.75					
LESPEDEZA					
Korean, Dodder Free AS	K				
Korean, Dodder Present FOR					
Korean, Choice PRI	UES				

Korean, Common

Seeds Are Sold For Cash

Terms: Draft with bill of lading attached. Open shipments subject to sight draft within ten days.

TIMOTHY BER CWT BER BU
Gold Medal \$4.25 1.92
Abe (99% pure) 4.00 1.80
Choice 3.75 1.69 Royal 3.50 1.58
Royal
NEW CROP KENTUCKY BLUE GRASS
Gold Medal \$11.75 \$1.65
Choice 11.25 1.58
Extra Heavy 28# 16.00 2.24
intia ricary mom 10.00 m.mi
NEW CROP ORCHARD GRASS
Gold Medal \$11.50 \$1.61
Choice 10.50 1.47
Royal 10.00 1.40
Danish (90% pure) 12.50 1.75
(10)0
NEW CROP RED TOP PER 100 LES.
Gold Medal \$8.50
Abe (90% pure) 8.25
Choice 8.00
Royal 7.50
Unhulled 3.50
PASTURE MIXTURE
Contains Red Clover, Red Top, Tim-
othy and Orchard Gr. \$3.25
MANAGERY A AMPONIA
MISCELLANEOUS Page Trivialia \$27.00
Poa Trivialis \$27.00
Tall Meadow Oat Gr 13.50
Sudan Grass 5.00
Dwarf Essex Rape 4.75
Buckwheat
Vetch
Domestic Rye Grass 4.00
Winter Turf Oats (per bu.)75

We are in the market for the following:
Millet Cane Korean Cow Peas

Millet, Cane, Korean, Cow Peas, Soy Beans and all Clovers. Kindly submit samples with best prices.

		MILLET			PER CWT.
Tenn.	Cult.	Ger.	Ask	for	prices.
Home	Grown		Ask	for	prices.

SOY BEANS

ASK FOR PRICES

COW PEAS

ASK FOR PRICES

LAWN GRASS	PER 100 L88.
Shady Place	
Gold Medal	15.00
Cherokee	12.00
In attractive one pound	cartons,
packed thirty and fifty t	o a case.
Above grades in bulk \$2.00	cwt less.

			SE	EE) ;	SO	WI	ER	SEACH	DOZEN	
Cyclor	ıe									\$20.00	
Horn	•	•		•	•	•	•	•	. 60	6.90	

MC QUEENS SEED INOC	CULATION
For all Clovers:	
For all Clovers: 1 bu. size	30.30
For Beans, Peas, Vetch,	Lespedeza:
2 bu. size	
5 bu. size	0.60
10 bu. size	

ORDERS FOR LESS THAN BAG LOTS WILL BE CHARGED FOR AT 50¢ PER 100 LBS HIGHER THAN LIST PRICES.

DISCLAIMER == The Louisville Seed Company gives no warranty, expressed or implied, as to description, quality or any other matter of any seed it sells and will not be responsible for the crop.





OUR GUARANTEE

IF ANY SHIPMENT OF SEEDS IS NOT AS GOOD AS SAMPLE OR BETTER; IF ANY SHIPMENT OF SEEDS IS NOT SOUND, CLEAN AND GOOD; IF WE DO NOT FULFILL EVERY WRITTEN OR VERBAL PROMISE; IN A WORD, IF YOU ARE NOT THOROUGHLY SATISFIED WITH GOLD MEDAL SEEDS SHIP THEM BACK IMMEDIATELY AT OUR EXPENSE. WE TAKE ALL RISK; WE STAND ALL THE COST.

TACK UP FOR PUTURE REPERENCE

GOLD MEDAL FIELD SEEDS

"He Reaps Most Who Sows Best"

Lbs. Per Bu. Lbs. Per Acre	LEG	AL WEIGHTS OF SEED AND GRAIN ALSO QUANTIT	Y PER ACRE
60 Beans, Soy, broadcast .60 80 14 Bluegrass, Kentucky .21 28 48 Buckwheat .50 .75 50 Cane, Drill .10 .15 50 Cane, broadcast .50 .75 60 Clover, Alfalfa, drills .15 .20 60 Clover, Alfalfa, broadcast .18 .22 60 Clover, Alsike (alone for forage) .8 .15 60 Clover, Alsike (on wheat or rye in spring) .4 .6 60 Clover, Alsike (on wheat or rye in spring) .4 .6 60 Clover, Japan (Lespedeza) .15 .25 60 Clover, Sapling (Mammoth) .10 .15 60 Clover, Red (alone for forage) .10 .15 60 Clover, Red (on small grain in spring) .7 .12 60 Clover, Sweet (hulled) .10 .15 33 Clover, Sweet (unbulled) .20 .30 60 Clover, White .10 .20 60 Corn .6 .1	Lbs	Por Bu.	Lbs. Per Acre
60 Beans, Soy, broadcast 60—80 14 Bluegrass, Kentucky 21—28 48 Buckwheat 50—75 50 Cane, Drill 16—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Crimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 31 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 60 Clover, White 10—20 60 Corn 6—12 60 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50	47	Barley	75—100
14 Bluegrass, Kentucky 21— 28 48 Buckwheat 50— 75 50 Cane, Drill 10— 15 50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 32 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 56 32 Oats 50— 65 <t< td=""><td>60</td><td>Beans, Soy, drills</td><td>30— 40</td></t<>	60	Beans, Soy, drills	30— 40
48 Buckwheat 50—75 50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Crimson 12—15 25 Clover, Sapling (Mammoth) 10—15 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (unhulled) 20—30 60 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60	60	Beans, Soy, broadcast	60 80
50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Crimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 31 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 50 Corn 6—12 50 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 <t< td=""><td>14</td><td>Bluegrass, Kentucky</td><td>21— 28</td></t<>	14	Bluegrass, Kentucky	21— 28
50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 32 Clover, Sweet (unhulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (broadcast) 75— 9	48	Buckwheat	50— 75
60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top (unhulled) 10— 15	50	Cane, Drill	19— 15
60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 <td>50</td> <td>Cane, broadcast</td> <td>50— 75</td>	50	Cane, broadcast	50— 75
60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15	60	Clover, Alfalfa, drills	15 20
60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15	60	Clover, Alfalfa, broadcast	18— 22
60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56	60	Clover, Alsike (alone for forage)	8— 15
25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills	60	Clover, Alsike (on wheat or rye in spring).	4— 6
60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 33 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Sudan Grass 15—25 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 5	60	Clover, Crimson	12 15
60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 33 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Sudan Grass 15—25 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	25	Clover, Japan (Lespedeza)	15 25
60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75 <	60	Clover, Sapling (Mammoth)	10— 15
60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75 <	60	Clover, Red (alone for forage)	10 15
60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60		
60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	Clover, Sweet (hulled)	10 15
60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	33	Clover, Sweet (unhulled)	20— 30
56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60		
50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	56	Corn	6— 12
50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	56	Corn (for Silage)	40 56
32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	50	Millet, All Varieties (for seed)	25— 40
14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	50	Millet, All Varieties (for hay)	40— 50
60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	32	Oats	50 65
60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	14	Orchard Grass	20— 30
50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	Peas, Cowpeas (drills)	45 60
50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	Peas, Cowpeas (broadcast)	75 90
14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	50	Rape (drill)	4— 8
14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	50	Rape (broadcast)	8 10
56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	14	Red Top Fancy	7— 12
25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	14	Red Top (unhulled)	10— 15
45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	56	Rye	56—112
45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	25	Sudan Grass	15 25
60 Vetch, Hairy (drills)	45		
60 Vetch, Hairy (broadcast)50-75	45		
60 Wheat90—120			
	60	Wheat	90—120

Louisville Seed Company

831 West Main Street

LOUISVILLE, KENTUCKY